

SUPPLEMENTAL TYPE CERTIFICATE

10088573

This Certificate/Approval is issued by EASA, acting in accordance with Regulation (EU) 2018/1139 on behalf of the European Union, its Member States and of the European third countries that participate in the activities of EASA under Article 129 of that Regulation and in accordance with Commission Regulation (EU) No. 748/2012 to

SCHULZ, ALEXANDER

GOTTFRIED-MENKEN-STR. 23 28201 BREMEN GERMANY

and certifies that the change in the type design for the product listed below with the limitations and conditions specified meets the applicable Type Certification Basis and, if applicable, environmental protection requirements when operated within the conditions and limitations specified below:

Type Certificate Number: SEE EASA APPROVED MODEL LIST
Type Certificate Holder: SEE EASA APPROVED MODEL LIST

Type: SEE EASA APPROVED MODEL LIST Model: SEE EASA APPROVED MODEL LIST

Description of Design Change:

Installation of electronic basic flight instrument on gliders and Motorgliders

EASA Certification Basis:

The Type and OSD Certification Bases for the original product remains applicable to this certificate/approval. The requirements for environmental protection and the associated certified noise and/or emissions levels of the product are unchanged and remain applicable to this certificate/approval without any impact on the noise database.

Associated Technical Documentation:

Supplemental type certificate (STC): Installation of a LXNAV ADI 2 to substitute Altimeter and Airspeed indicator and OAT ind. Installation Instruction, Issue 1, dated 19.10.2025

Airplane Flight Manual supplement: Electronic Airspeed indicator + Altimeter LXNAV ADI2, Issue 1, dated 19.10.2025

See Continuation Sheet(s)

For the European Union Aviation Safety Agency

Cologne, Germany, 06 November 2025

Marco CAPACCIO
Section Manager

Small Aircraft, Balloons & Airships



Task Number: 60097091 SCHULZ, ALEXANDER - 311956



Or later revisions of the above listed document(s) approved/accepted under the EASA system.

Limitations/Conditions:

Prior to installation of this change/repair it must be determined that the interrelationship between this change/repair and any other previously installed change and/ or repair will introduce no adverse effect upon the airworthiness of the product.

